

FILED
750

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

25X1

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET

COUNTRY	Hungary	REPORT NO.	<div style="border: 1px solid black; width: 120px; height: 20px;"></div>	25X1
SUBJECT	Railroad Information	DATE DISTR.	22 January 1954	
	25X1	NO. OF PAGES	3	
DATE OF INFO.	<div style="border: 1px solid black; width: 280px; height: 40px;"></div>	REQUIREMENT NO.	<div style="border: 1px solid black; width: 120px; height: 20px;"></div>	25X1
PLACE ACQUIRED		REFERENCES		

25X1 1. Relaying of Track (See Annex 1).

- a. The track between Celldömölk and Szombathely has been relaid; the rails can now withstand an axle pressure of 20 tons.¹
- b. Relaying of track on the Zalaszentivan-Kisfaludpuszta-Zalaegerszeg stretch will soon be completed; the rails will be able to withstand an axle pressure of 16 tons.

2. Traffic Control.

Every directorate now has radio and teleprinter communications.²

3. New Signaling System.

- a. A new signaling system is under construction on the Hegyeshalom-Budapest-Kelenföld line. (See annex 1) By September 1953 it was to have been completed on the Budapest-Kelenföld-Almasfüzitő stretch. The sections are generally 5,100 m. long each consisting of six sectors, i.e. each sector is about 850 m. long. The track sector signals are thus 850 m. apart and erected in both directions. This means that on double tracked lines traffic can circulate in both directions on both lines.
- b. Each signal has four signs: stop, go, go in this sector, go in this and the next sector. (Such signals were previously unknown in Hungary). The signals are incorporated in a normal electric circuit.³

25X1

SECRET

STATE	<input checked="" type="checkbox"/>	ARMY	<input checked="" type="checkbox"/>	NAVY	<input checked="" type="checkbox"/>	AIR	<input checked="" type="checkbox"/>	FBI	<input type="checkbox"/>	AEC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------	-------------------------------------	------	-------------------------------------	------	-------------------------------------	-----	-------------------------------------	-----	--------------------------	-----	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

(Note: Washington Distribution Indicated By "X". Field Distribution By " ")

25X1

25X1

SECRET [REDACTED]

- 2 -

4. New Transformer (See Annex 2).

A new transformer has been built near the old one at the Landler Works in Budapest; it is supplying current for electric trains to the following railroad stations:

- a. Budapest - Kelenföld
- b. Budapest - Ferencváros
- c. Kőbánya-Felső
- d. Rakos
- e. Rakosszentmihály
- f. Rakosrendező
- g. Budapest - Józsefváros
- h. Budapest - Keleti
- i. Budapest - Nyugati as far as the Landler Works.

25X1 [REDACTED] Comments:

1. The previous rail axle pressure was 16 tons.
2. Previously such facilities only existed in Budapest, Miskolc, Debrecen and Tapolca. This means that Szombathely, Szeged, and Pécs are now fully equipped.
3. This new system is of particular importance as it permits a maximum theoretical daily traffic of 820 trains per day: either 410 to Hegyeshalom and 410 to Budapest, or 410 + 410 to Hegyeshalom or Budapest. Previously only a figure of 260 + 260 was attainable. In actual fact, the stations will not be able to handle such a volume of traffic.

Annexes:



1. Location of Relaying of Tracks and Installation of New Signaling System.
2. New Transformer in Budapest.

25X1

SECRET [REDACTED]

SECRET

- 3 -

ANNEX 1 - Relaying of Tracks and New Signaling EquipmentANNEX 2 - New Transformer in Budapest.

25X1

SECRET